

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	701	713/183.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 11:13
L6	92	(login with (device appratus peripheral)) and ((hold\$4 stor\$4) same (determin\$4 check\$4 decid \$4) with (login with (history data information))) and @ad<"20040228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 11:15
L7	1056	713/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 11:16
L9	306	726/16.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 11:17
L10	757	726/28.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 11:18
L11	2629	707/9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 11:19
L12	4619	709/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 11:20

L13	11	(4 7 9 10 11 12) and (login with (device appratus peripheral)) and ((hold\$4 stor\$4) same (determin\$4 check\$4 decid \$4) with (login with (history data information)))) and @ad<"20040228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 11:20
L14	19	(4 7 9 10 11 12) and (login with (device appratus peripheral)) and ((hold\$4 stor\$4) same (determin\$4 check\$4 decid \$4) with (login with (history data information))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 11:21
L23	1	((user client) adj2 (type)) same (login near2 history) same (display\$4 interfac \$4 show\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 11:44
L29	4	((user client) and (type)) and (login near2 history) and (display\$4 interfac\$4 show\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 11:45
L30	4	((user client) and (type)) and (login near2 history) and (display\$4 interfac\$4 show\$4)).clm.	US-PGPUB	OR	ON	2009/07/23 11:46
L31	2	((user client) and (type)) and (login near2 history) and (display\$4 interfac\$4 show\$4) and ((leav\$4 stor \$4 record\$4 sav\$4) with (history name password identification authentication))).clm.	US-PGPUB	OR	ON	2009/07/23 11:48
S1	1	10/781638	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:05

S2	94	canon.as. and (login with (device apparatus peripheral))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:12
S3	40	canon.as. and (login with (device apparatus peripheral)) and @ad<"20040228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:12
S4	3	canon.as. and (login with (device apparatus peripheral)) and ((hold\$4 stor\$4) same (determin\$4 check\$4 decid\$4) with (login with (history data information)))) and @ad<"20040228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:24
S5	1	("5828375").PN.	US-PGPUB; USPAT	OR	OFF	2008/09/19 10:28
S6	228	((plurality multiple two) with (users client)) same (device with (login with (information data history)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:33
S7	1	((plurality multiple two) with (users client)) same (device with (login with (information data history))) same (stor\$4 with (optional randomly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:34
S8	7	((device apparatus computer) with ((display \$4 show\$4 list\$4) with ((login user) near5 (id name)))) and ((allow\$4 permit\$4) with (stor\$4 hold\$4) with (login adj2 (information data history)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:46
S9	23	((device apparatus computer) with ((display \$4 show\$4 list\$4) with ((login user) near5 (id name)))) and ((allow\$4 permit\$4) with (stor\$4 hold\$4) with (log adj2 (information data history)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:46

S10	1	("7216292").PN.	US-PGPUB; USPAT	OR	OFF	2008/09/19 11:05
S11	406	713/184.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:47
S12	2	((("5669040") or ("7084997")).PN.	US-PGPUB; USPAT	OR	OFF	2009/04/02 11:40
S13	1	10/449482	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 12:36
S14	49	((display\$4 show\$4) with (list with (user client customer))) same ((log\$4 use using access\$4) near2 device) same (history audit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 13:36
S15	14	((display\$4 show\$4) with (list with (user client customer))) same ((log\$4 use using access\$4) near2 device) same (history audit) and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 13:37
S16	7	((display\$4 show\$4) with (list with (user client customer))) same ((log\$4 use using access\$4) near2 device) same (history audit) and (type anonymous guest) and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 13:37
S17	101	(login with (device appratus peripheral)) and ((hold\$4 stor\$4 record\$4) same (determin\$4 check \$4 decid\$4) with (login with (history data information))) and @ad<"20040228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 13:48

S18	3	(login with (device apparatus peripheral)) same ((hold\$4 stor\$4 record\$4) same((type anonymous guest)) same (determin\$4 check \$4 decid\$4) with (login with (history data information))) and @ad<"20040228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 13:49
S19	63	(login with (device apparatus peripheral)) same ((hold\$4 stor\$4 record\$4) same((type anonymous guest)) same (login with (history data information))) and @ad<"20040228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 13:51
S20	11	((display\$4 show\$4 list\$4) with ((login user) near5 (identification id name password))) same ((storing holding) with (login adj2 (information data history)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:16
S23	9	((login user) near5 (identification id name password))) same ((stor\$4 record\$4 hold\$4) with (login adj2 (history))) and ad<"20040220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:25
S24	1	((identification id name password))) same (login with (screen interface)) same ((stor\$4 record\$4 hold\$4) with (login adj2 (history))) and ad<"20040220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:31
S25	3	(login with (screen interface)) same ((stor\$4 record\$4 hold\$4) with (login adj2 (history))) and ad<"20040220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:32
S26	6	(login with (screen interface display)) same ((stor\$4 record\$4 hold\$4) with (login adj2 (history))) and ad<"20040220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:34
S27	1	("6631442").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/03 12:07

S28	1	("6161139").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/03 13:02
S31	3	((user client) adj2 (type)) same (login) same (shared with (device appratus computer printer scanner copier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:25
S32	1	((user client) adj2 (type)) same (login near2 history) same (display\$4 interfac \$4 show\$4) and (device appratus computer printer scanner copier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:27
S34	1	((user client) adj2 (type guest anonymous)) same (login near2 history) same (display\$4 interfac \$4 show\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:27
S35	1	((user client) adj2 (type guest anonymous)) same (login near2 history) and (display\$4 interfac\$4 show\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:28
S36	1	((user client) adj2 (type guest anonymous)) same (login near2 history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:28
S37	32	((user client) adj2 (type guest anonymous)) and (login near2 history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:28
S38	8	((user client) adj2 (type guest anonymous)) and ((login near2 history) same (display\$4 interfac \$4 show\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:28
S39	7	(peripheral printer copier fax device apparatus) with ((login near2 history) same (display\$4 interfac \$4 show\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 14:20

S40	2	((("5684957") or ("7216292")).PN.	US-PGPUB; USPAT	OR	OFF	2009/04/03 17:49
S41	1	("6667751").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 07:15
S42	1	("5991735").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 07:32
S43	1	("5684957").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 07:35
S45	7	(determin\$4 check\$4 verif \$7 validat\$4) with ((user client) adj2 (type)) same ((entered typed provided) near2 (identification id password)) same (login)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 08:24
S46	12	(determin\$4 check\$4 verif \$7 validat\$4) with ((user client) adj2 (type level)) same ((entered typed provided) near2 (identification id password)) same (login)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 08:42
S47	1	("5666502").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 08:44
S51	1	("20040015702").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 09:05
S52	1	("6377548").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 09:08
S62	18	(determin\$4 check\$4 verif \$7 validat\$4) with ((user client) adj2 (type level role)) same (login) and "726"/.ccls. and @ad<"20040220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 09:13
S63	17	(determin\$4 check\$4 verif \$7 validat\$4) with ((user client) adj2 (type level role)) same (login) and "726"/.ccls. and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 09:15
S64	36	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type level role)) same (login) and "726"/. ccls. and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 09:39

S65	1	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type level role)) same (login) and (frequent with user) and "726"/.cccls. and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 09:40
S66	4	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type level role)) same (login) and (guest annonymous) and "726"/. cccls. and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 09:44
S67	21	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type level role)) same (login) and (guest annonymous) and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:03
S68	68	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type level role)) same (login) and (frequency guest anonymous) and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:21
S69	2	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type level role)) same (login) same (frequency guest anonymous) and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:21
S70	73	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type)) same (login) and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:31
S71	23	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type)) same (login) and (frequency guest anonymous) and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:31

S72	1	("5905653").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 10:49
S73	10	canon.as. and (login with (device appratus peripheral)) and (user adj2 type) and @ad<"20040228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 11:27
S75	14	(login with (device appratus peripheral)) same (user adj2 type) and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 11:30
S76	2	(login with (name identification passowrd id)) same ((frequent anonymous guest) and type) and (history with stor\$4) and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 11:35
S80	1	(determin\$4 check\$4 verif \$7 validat\$4) with ((type)) same ((entered typed provided) near2 (login near2 (identification id password))) and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 11:50
S81	90	(determin\$4 check\$4 verif \$7 validat\$4) with ((type)) same ((login near2 (identification name id password))) and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 11:51
S82	44	(determin\$4 check\$4 verif \$7 validat\$4) with ((type)) same ((login near2 (identification name id password))) and (history audit) and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 11:52
S83	1	("20030154171").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 12:12

7/ 23/ 09 11:50:29 AM

C:\ Documents and Settings\ sgelagay\ My Documents\ EAST\ Workspaces\ 10781638.wsp